

UT-202D

-
-
-
-
-
-
-
-



1		EIA/TIA	RS-232C	RS-422	
2	RS-232	DB9		RS-422	DB9
3					
4					
5		300-115.2kbps			
6	63mm	33mm	16mm		
7	-25	70		5%	95%
8	1,200	RS-485	9600bps	5	RS-232

DB9 Female(PIN)	RS-232C
1	
2	SOUT (TXD)
3	SIN (RXD)
4	DTR
5	GND
6	DSR
7	RTS
8	CTS
9	RI

DB9 Male(PIN)		RS-422
1	T/R+	(A+)
2	T/R-	(B-)
3	RXD+	(A+)
4	RXD-	(B-)
5	GND	
6	VCC	+5V




NO. 12391

Shenzhen EMTEK Co., Ltd.
 5/F, 6/F, Majiang Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Access to the World

Certificate of Conformity

NO.: E0805123E


The following products have been tested by us with the listed standards and found in conformity with the council EMC directive 2004/108/EC. It is possible to use CE marking to demonstrate the conformity with this EMC Directive.

Applicant	: UTEK TECHNOLOGY(SHENZHEN) CO., LTD.
Address	: 7/F, No.1, Xinghua 1 Road, District 44, Baoan, Shenzhen
Manufacturer	: UTEK TECHNOLOGY(SHENZHEN) CO., LTD.
Address	: 7/F, No.1, Xinghua 1 Road, District 44, Baoan, Shenzhen
Trade Mark	: UTEK
EUT	: Interface Converters
M/N	: UT-201, UT-202, UT-203, UT-204E, UT-205
Test Standards	: EN55022: 2006 EN55024: 1998+A1: 2001+A2: 2003





(Manager)
May 28, 2008

The test report was carried out from the submitted type samples of a product in conformity with the specification of the respective standards. The certificate holder has the right to fix the CE-mark for EMC directive on the product complying with the inspection samples.



NO. 12391


Shenzhen EMTEK Co., Ltd.
 5/F, 6/F, Majiang Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Access to the World

Declaration of Conformity

This device is in conformance with Part 15 of the FCC Rules and Regulations.







RS-422

Data Communications
Interface Converters

CE FC

UOTEK

Model:UT-202D

RS-422 Output Port

	1PCS
	1PCS
	1PCS



-40 +85 , 5% 95%