

## UT-520




- EIA/TIA RS-485
- RS-485 RS-485
- RS-485 600W +/-15KV ESD
- 2500Vrms 500DC .DC/DC
- 
- PWR TXD RXD
- 
- 300-115.2Kbps
- 120mmX80mmX25mm
- -40 85 5% 95%
- 0-5,000 115200bps-9600bps

2Port RS-485

(PIN)		RS-485
1	D1+	RS-485 (A+)
2	D1-	RS-485 (B-)
3	GND1	1
4	D2+	RS-485 (A+)
5	D2-	RS-485 (B-)
6	GND3	3
7	N/C	
8	N/C	
9	N/C	
10	ETH	

2Port RS-485

(PIN)		RS-485
1	D1+	RS-485 (A+)
2	D1-	RS-485 (B-)
3	GND2	2
4	D2+	RS-485 (A+)
5	D2-	RS-485 (B-)
6	GND4	4
7	N/C	
8	N/C	
9	VCC	9V-30V DC
10	GND	



**WOTTEK**<sup>®</sup>  
产品名称: 接口转换器

型号: JI-520  
额定电压: 9~30VDC  
额定电流: 100mA@9Vmax

产地: 中国制造

CE FC

	1PCS
	1PCS
	1PCS
	1PCS
	1PCS
	1PCS



-40 +85 , 5% 95%